EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	58	709/227-245.ccls. and (set$4 with destination adj2 address$4 same header) and (echo icmp arp rarp)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 11:09
S1	11	((((ip (internet$4 protocol)) near5 address$4) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and ((field value data information) near10 detect$4) and (set$4 near10 (bit byte field parameter$4)) and ((field value data information) near9 (length size)) and ((field value data information) near10 (ttl (time adj3 liv$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/21 15:44
S2	45	((((ip (internet$4 protocol)) near5 address$4) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and (match$4 near10 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/21 16:57
S3	16	((((ip (internet$4 protocol)) near5 address$4) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and (compar$5 near10 address$4 same destination)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/21 16:58
S4	7	((((ip (internet$4 protocol)) near5 address$4)and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and (((mac(media adj3 control$4)) near5 address$4)) near10 equal$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/22 10:45
S5	32	(((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and ((compar$4 match$4) near10 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/22 12:18

EAST Search History

S6	10	(((((ip (internet$4 protocol)) near5 address$4) near10 equal$4) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and ((compar$4 match$4) near10 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/22 12:18
S7	1	(((((ip (internet$4 protocol)) near5 address$4) near10 equal$4) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) not ((compar$4 match$4) near10 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/22 12:28
S8	30	(((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) not ((compar$4 match$4) near10 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/22 13:02
S9	88	((ip (internet$4 protocol)) near5 address$4 near6 destination$4 near10 differ$7) not ((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) not ((compar$4 match$4) near10 address$4)) ((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and ((compar$4 match$4) near10 address$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/17 14:29

EAST Search History

S10	25	((ip (internet$4 protocol)) near5 address$4 near6 destination$4 near10 differ$7) and (ping$4 arp echo$4) not (((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) not ((compar$4 match$4) near10 address$4)) ((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and ((compar$4 match$4) near10 address$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/22 13:22
S11	7	((ip (internet$4 protocol)) near5 address$4 near6 destination$4 near10 equal$4) and (ping$4 arp echo$4) not (((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) not ((compar$4 match$4) near10 address$4)) ((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and ((compar$4 match$4) near10 address$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/22 14:13

EAST Search History

S12	8	((ip (internet$4 protocol) logic$2) near5 address$4 near6 destination$4 near10 equal$4) and (ping$4 arp echo$4) not ((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) not ((compar$4 match$4) near10 address$4)) ((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and ((compar$4 match$4) near10 address$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/22 13:25
S13	26	((ip (internet$4 protocol) logic$2) near5 address$4 near6 destination$4 near10 differ$7) and (ping$4 arp echo$4) not ((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) not ((compar$4 match$4) near10 address$4)) ((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and ((compar$4 match$4) near10 address$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/22 13:31
S14	37	(((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol)) near10 (echo$4 messag$4))) and ((ip (internet$4 protocol)) near5 address$4 near6 destination$4 same (configur$4 set$4) near10 ((ip (internet$4 protocol)) near5 address$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/22 14:23

EAST Search History

S15	60	(((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol)) near10 (echo$4 messag$4))) and ((mac (media adj3 control$4) physical$4) near5 address$4 near6 destination$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/22 14:35
S16	11	((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol)) near10 (echo$4 messag$4)) same ((mac (media adj3 control$4) physical$4) near5 address$4 near6 destination$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/22 14:59
S17	322	((echo$4 messag$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and ((echo$4 messag$4) same ((ip internet$4) near5 address$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/17 14:28
S18	64	((echo$4 messag$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and ((echo$4 messag$4) same ((ip internet$4) near5 address$4 near10 (set setting)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/17 14:27
S19	19	((echo$4 messag$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and (echo$4 same ((ip internet$4) near5 address$4 near10 (set setting))) and ((ip internet$4) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/25 09:37
S20	13	(((echo$4 messag$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and (echo$4 same ((ip internet$4) near5 address$4 near10 (set setting)))) and (siz$4 length$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/25 09:27
S21	16	(((echo$4 messag$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and (((ip internet$4) near5 address$4 near10 (set setting replac$4 chang$4)))) and (siz$4 length$4) and (ttl (tim$4 adj3 liv$4)) and ((ip internet$4) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/25 11:03
S22	9	(((echo$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and (((ip internet$4) near5 address$4 near10 (set setting replac$4 chang$4)))) not (siz$4 length$4) not (ttl (tim$4 adj3 liv$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/25 11:22

EAST Search History

S23	3	(set setting) near5 (predetermin$6 near5 (data information parameter header)) and ((revers$4 near4 (arp (address$4 adj resolution adj protocol)) rarp))	USPAT	OR	ON	2003/05/30 13:47
S24	131	((ip internet$4) near5 address$4 near10 (set setting replac$4 chang$4)) and (siz$4 length$4) and (ttl (tim$4 adj3 liv$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/18 11:53
S25	48	((ip internet$4) near5 address$4 near10 (set setting replac$4 chang$4) near10 destination$4) and (siz$4 length$4) and (ttl (tim$4 adj3 liv$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/17 10:19
S26	35	((echo$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and (((ip internet$4) near5 address$4 near10 (set setting replac$4 chang$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/17 10:20
S27	24	(set setting) near5 (predetermin$6 near5 (data information parameter header)) same (icmp echo ping) .	USPAT	OR	ON	2003/11/17 10:20
S28	26	(((echo$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and (((ip internet$4) near5 address$4 near10 (set setting replac$4 chang$4)))) not ((((echo$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and (((ip internet$4) near5 address$4 near10 (set setting replac$4 chang$4)))) not (siz$4 length$4) not (ttl (tim$4 adj3 liv$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/17 14:23
S29	493	(set setting reset$5) with ((factor$4) with address$4)	USPAT	OR	ON	2003/11/18 18:01
S30	356	((factory factories) with address$4)	USPAT	OR	ON	2003/11/18 10:11
S31	2	(((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol)) near10 (echo$4 messag$4))) and ((ip (internet$4 protocol)) near5 address$4 near6 destination$4) and (((factory factories) with address$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/17 14:29
S32	4	((echo$4 messag$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and ((echo$4 messag$4) same ((ip internet$4) near5 address$4)) and (((factory factories) with address$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/17 14:31

EAST Search History

S33	77	((factory default$4 factories) with address$4) and (default$4 same (factory factories))	USPAT	OR	ON	2003/11/17 14:40
S34	30	(((factory default$4 factories) with address$4) and (default$4 same (factory factories))) and (echo icmp ping arp rarp)	USPAT	OR	ON	2003/11/17 16:12
S35	30	(((factory factories) with address$4)) and (echo icmp ping arp rarp)	USPAT	OR	ON	2003/11/17 16:12
S36	10	((((factory factories) with address$4)) and (echo icmp ping arp rarp)) not ((((factory default$4 factories) with address$4) and (default$4 same (factory factories))) and (echo icmp ping arp rarp))	USPAT	OR	ON	2003/11/17 16:13
S37	709	(icmp ping echo) same (set$4 reset$4) same address$4	USPAT	OR	ON	2003/11/18 10:12
S38	108	(icmp ping echo) with (set$4 reset$4) with address$4	USPAT	OR	ON	2003/11/18 10:12
S39	13	((icmp ping arp rarp echo) with (set$4 reset$4) with address$4) same((compar$4 match$4) with address$4)	USPAT	OR	ON	2004/05/05 13:57
S40	114	((icmp ping arp rarp echo) with (set$4 reset$4) with address$4) and ((compar$4 match$4) with address$4)	USPAT	OR	ON	2003/11/18 11:01
S41	160	((ip internet$4) with address$4 with (set setting replac$4 chang$4)) and (siz$4 length$4) and (ttl (tim$4 adj3 liv$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/18 11:54
S42	394	((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp echo) with ((set$5 chang$4 updat$4 refreash$4 assign$4 reset$5) with address$4))	USPAT	OR	ON	2003/11/18 13:11
S43	77	((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp echo) with ((set$5 chang$4 updat$4 refreash$4 assign$4 reset$5) with (ip internet) with address$4)) and ((compar$4 match$4) with address$4)	USPAT	OR	ON	2003/11/18 18:02

S44		26	((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp echo) with ((set$5 chang$4 updat$4 refreash$4 assign$4 reset$5) with (ip internet) with address$4)) same ((compar$4 match$4) with address$4)	USPAT	OR	ON	2003/11/18 13:12
S45		27	((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp echo) with ((set$5 chang$4 updat$4 refreash$4 assign$4 reset$5) with (ip internet) with address$4)) and ((compar$4 match$4) with mac with address$4)	USPAT	OR	ON	2003/11/18 13:15
S46		50	(((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp echo) with ((set$5 chang$4 updat$4 refreash$4 assign$4 reset$5) with (ip internet) with address$4)) and ((compar$4 match$4) with address$4)) not (((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp echo) with ((set$5 chang$4 updat$4 refreash$4 assign$4 reset$5) with (ip internet) with address$4)) and ((compar$4 match$4) with mac with address$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/18 14:01
S47		443	((set setting reset$5) with (factory factories manufact$6) with address$4)	USPAT	OR	ON	2003/11/18 18:02
S48		0	(((set setting reset$5) with (factory factories manufact$6) with address$4)) and ((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp echo) with ((set$5 chang$4 updat$4 refreash$4 assign$4 reset$5) with (ip internet) with address$4)) and ((compar$4 match$4) with (mac media hardware) with address$4)	USPAT	OR	ON	2003/11/18 18:03
S49		17	(((set setting reset$5) with (factory factories manufact$6) with address$4)) and ((compar$4 match$4) with (mac media hardware) with address$4)	USPAT	OR	ON	2003/11/18 18:11

EAST Search History

S50	56	(((ip internet$4) with address$4 with (set setting replac$4 chang$4)) and (siz$4 length$4) and (ttl (tim$4 adj3 liv$4))) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp echo) and ((compar$4 match$4) with address$4) and ((set$5 chang$4 updat$4 refreash$4 reset$5) with ip with address$4)	USPAT	OR	ON	2004/12/20 14:59
S51	748	((ip internet$4) with address$4 with (set setting replac$4 chang$4 replac$4 allocat$4)).ti,bsum.	USPAT	OR	ON	2004/05/06 10:43
S52	45	((ip internet$4) with address$4 with (set setting replac$4 chang$4 replac$4 allocat$4)).ti,bsum. and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp (reverse near arp) echo) and ((compar$4 match$4) with address$4) same ((set$5 chang$4 updat$4 refreash$4 reset$5) with ip with address$4)	USPAT	OR	ON	2004/05/05 11:43
S53	64	((ip internet$4) with address$4 with (set setting replac$4 chang$4 replac$4 allocat$4)).ti,bsum. and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp (reverse near arp) echo) and ((compar$4 match$4) with address$4) same ((set$5 chang$4 updat$4 refreash$4 reset$5) with address$4)	USPAT	OR	ON	2004/05/05 11:43
S54	2	((ip internet$4) with address$4 with (set setting replac$4 chang$4 replac$4 allocat$4)).ti,bsum. and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp (reverse near arp) echo) and ((compar$4 match$4) with mac with address$4) same ((set$5 chang$4 updat$4 refreash$4 reset$5) with ip with address$4)	USPAT	OR	ON	2004/05/05 11:51

EAST Search History

S55	5	((ip internet$4) with address$4 with (assign$6 set setting replac$4 chang$4 replac$4 allocat$4)).ti, bsum. and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp (reverse near arp) echo) and ((compar$4 match$4) with mac with address$4) same ((assign$6 set$5 chang$4 updat$4 refreash$4 reset$5) with ip with address$4)	USPAT	OR	ON	2004/05/05 14:25
S56	7	((ip internet$4) with address$4 with (set setting replac$4 chang$4 replac$4 allocat$4)).ti,bsum. and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp (reverse near arp) echo) and ((compar$4 match$4) with mac with address$4) same ((set$5 chang$4 updat$4 refreash$4 reset$5) with address$4)	USPAT	OR	ON	2004/05/05 13:49
S57	42	((icmp ping arp rarp (reverse near arp) echo) with (assign$6 set setting replac$4 chang$4 replac$4 allocat$4) with address$4) same((compar$4 match$4) with address$4)	USPAT	OR	ON	2004/12/20 14:59
S58	6	((ip internet$4) with address$4 with (assign$6 set setting replac$4 chang$4 replac$4 allocat$4)).ti, bsum. and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp (reverse near arp) echo) and ((compar$4 match$4) with ethernet with address$4) same ((assign$6 set$5 chang$4 updat$4 refreash$4 reset$5) with ip with address$4)	USPAT	OR	ON	2004/05/05 14:40
S59	28	(length with ip with address$4) same assign$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 15:55
S60	160	dhcp and ((ip internet$4) with address$4 with (set setting replac$4 chang$4 replac$4 allocat$4)).ti, bsum.	USPAT	OR	ON	2004/05/06 10:43

S64	2	bootp and ((ip internet$4) with address$4 with (assign$6 set setting replac$4 chang$4 allocat$4)) and (length siz$4) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping$4 arp rarp (reverse near arp) echo$4) and ((compar$4 match$4) with mac with address$4) not dhcp	USPAT	OR	ON	2004/05/06 17:55
S69	101	709/227-245.ccls. and dhcp and ((ip internet$4) with address$4 with (set setting replac$4 chang$4 replac$4 allocat$4)) and (length siz$4)	USPAT	OR	ON	2005/01/09 18:02
S70	80	709/227-245.ccls. and dhcp and ((ip internet$4) with address$4 with (assign$6 set setting replac$4 chang$4 allocat$4)) and (length siz$4) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp (reverse near arp) echo)	USPAT	OR	ON	2005/01/09 18:03
S71	5	709/227-245.ccls. and dhcp and ((ip internet$4) with address$4 with (assign$6 set setting replac$4 chang$4 allocat$4)) and (length siz$4) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping$4 arp rarp (reverse near arp) echo$4) and ((compar$4 match$4) with mac with address$4)	USPAT	OR	ON	2005/01/09 18:03
S72	10	709/227-245.ccls. and ((icmp ping arp rarp (reverse near arp) echo) with (assign$6 set setting replac$4 chang$4 replac$4 allocat$4) with address$4) same((compar$4 match$4) with address$4)	USPAT	OR	ON	2005/01/09 18:03
S73	20	709/227-245.ccls. and (((ip internet$4) with address$4 with (set setting replac$4 chang$4)) and (siz$4 length$4) and (ttl (tim$4 adj3 liv$4))) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp echo) and ((compar$4 match$4) with address$4) and ((set$5 chang$4 updat$4 refreash$4 reset$5) with ip with address$4)	USPAT	OR	ON	2005/01/09 18:03

EAST Search History

S74	27	(US-5708654-$ or US-5724510-$ or US-5774640-$ or US-5850388-$ or US-5896382-$ or US-5936966-$ or US-5956681-$ or US-5970066-$ or US-6016388-$ or US-6023724-$ or US-6032193-$ or US-6049825-$ or US-6061334-$ or US-6070187-$ or US-6115545-$ or US-6151679-$ or US-6182139-$ or US-6189102-$ or US-6216171-$ or US-6266726-$ or US-6389462-$ or US-6434620-$ or US-6446200-$ or US-6473405-$ or US-6480889-$ or US-6532217-$). did. or (US-6594758-$).did.	USPAT	OR	ON	2005/07/10 19:20
S75	20	S74 and (set$4 with address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 19:20
S76	6	S74 and (set$4 with address$4 same header)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 20:35
S77	612	(set$4 with destination with address$4 same header)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 20:36
S78	381	(set$4 with destination with address$4 with header)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 20:36
S79	299	(set$4 with destination adj2 address$4 with header)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 20:36
S80	87	"709"/$.ccls. and (set$4 with destination adj2 address$4 with header)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 22:16
S81	74	"709"/$.ccls. and (set$4 with destination adj2 address$4 same header) and (echo icmp arp rarp)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 23:06
S82	36	(set$4 with destination adj2 address$4 with header) and (echo icmp arp rarp) not "709"/$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 22:17
S83	47	"709"/227-245.ccls. and (set$4 with destination adj2 address$4 same header) and (echo icmp arp rarp)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 01:20

S84	125	709/227-245.ccls. and dhcp and ((ip internet$4) with address$4 with (set setting replac$4 chang$4 replac$4 allocat$4)) and (length siz$4)	USPAT	OR	ON	2006/01/09 01:19
S85	97	709/227-245.ccls. and dhcp and ((ip internet$4) with address$4 with (assign$6 set setting replac$4 chang$4 allocat$4)) and (length siz$4) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp (reverse near arp) echo)	USPAT	OR	ON	2006/01/09 01:20
S86	30	709/227-245.ccls. and (((ip internet$4) with address$4 with (set setting replac$4 chang$4)) and (siz$4 length$4) and (ttl (tim$4 adj3 liv$4))) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp echo) and ((compar$4 match$4) with address$4) and ((set$5 chang$4 updat$4 refreash$4 reset$5) with ip with address$4)	USPAT	OR	ON	2006/01/09 01:20
S87	50	709/227-245.ccls. and (set$4 with destination adj2 address$4 same header) and (echo icmp arp rarp)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 13:35
S88	183	(set$4 with destination adj2 address$4 same header) and (echo icmp arp rarp)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 13:46
S89	151	(set$4 with destination adj2 address$4 same header) and (echo icmp arp rarp) and length	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 13:36
S90	75	(set$4 with destination adj2 address$4 same header) and (echo icmp arp rarp) and length and (ttl "time-to-live" (time near3 live))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 13:38
S91	3	(set$4 with destination adj2 address$4 same header) and (echo icmp arp rarp) and (length with (threshold$4 compar$4 match$4)) and ((ttl "time-to-live" (time near3 live)) with (threshold$4 compar$4 match$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 13:41
S92	41	(set$4 with destination adj2 address$4 same header) and (echo icmp arp rarp) and ((ttl "time-to-live" (time near3 live)) with (threshold$4 compar$4 match$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:10

EAST Search History

S93	0	"710"/$.ccls. and (set$4 with destination adj2 address$4 same header) and (echo icmp arp rarp) and ((ttl "time-to-live" (time near3 live)) with (threshold$4 compar$4 match$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 13:46
S94	6	"710"/$.ccls. and (set$4 with destination adj2 address$4 same header) and (echo icmp arp rarp)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 13:47
S95	6	"710"/$.ccls. and (set$4 with destination adj2 address$4 same header) and (echo icmp arp rarp) and (length size ttl "time-to-live" (time near3 live))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 13:47
S96	1	(set$4 with destination adj2 address$4 same (echo icmp arp rarp)) and ((ttl "time-to-live" (time near3 live)) with (threshold$4 compar$4 match$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:12
S97	1344	(set$4 with destination adj2 address$4).ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:18
S98	9	(set$4 with destination adj2 address$4).ab. and (echo icmp arp rarp).ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:12
S99	75	(set$4 with destination adj2 (ip internet logic) near2 address$4).ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:22
S100	4	(set$4 with destination adj2 (ip internet logic) near2 address$4).ab. and (set$4 with destination adj2 address$4 same (echo icmp arp rarp))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:58
S101	0	cisco.as. and (set$4 with destination adj2 (ip internet logic) near2 address$4).ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:24
S102	0	BUSINESS.as. and (set$4 with destination adj2 (ip internet logic) near2 address$4).ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:24
S103	9	BUSINESS.as. and (set$4 with destination adj2 (ip internet logic) near2 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:23

EAST Search History

S10 5	52	cisco.as. and (set$4 with destination adj2 (ip internet logic) near2 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:24
S10 6	86	(set$4 with (printer peripheral) with (ip internet logic) near2 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 15:00
S10 7	9	(set$4 with (printer peripheral) with (ip internet logic) near2 address$4) and (ping echo icmp arp rarp)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 15:07
S10 8	16	(set$4 with (printer peripheral) with (ip internet logic) near2 address$4) and (dhcp ping echo icmp arp rarp)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 15:01
S10 9	7	("5436909" | "5675741" | "5935215" | "6108300" | "6148411" | "6199172" | "6446222").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/11 15:07
S11 0	2	S109 and (set$4 near4 address$4) and (ping echo icmp arp rarp)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 15:08
S11 1	524	(set$4 near4 address$4) and (ping echo icmp arp rarp) and (ttl "time-to-live" (time adj2 live))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 16:32
S11 3	9	((set$4 near4 address$4) same (ttl "time-to-live" (time adj2 live))) and ((send$4 transmit$6) with (ping echo icmp arp rarp))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 13:04
S11 4	64	("5675741").URPN.	USPAT	OR	ON	2006/08/15 13:17
S11 5	14	("5675741").URPN. and (ttl "time-to-live" (time adj2 live))	USPAT	OR	ON	2006/08/15 13:48

EAST Search History

S11 6	33	(US-6446200-$ or US-5936966-$ or US-5850388-$ or US-6434620-$ or US-6151679-$ or US-6115545-$ or US-6061334-$ or US-5708654-$ or US-5724510-$ or US-5896382-$ or US-6023724-$ or US-5970066-$ or US-5774640-$ or US-6049825-$ or US-6532217-$ or US-6189102-$ or US-6594758-$ or US-6389462-$ or US-6216171-$ or US-6182139-$ or US-5956681-$ or US-6654359-$ or US-6075776-$ or US-6370147-$ or US-6032193-$ or US-6480889-$). did. or (US-6473405-$ or US-6016388-$ or US-6266726-$ or US-6070187-$ or US-5675741-$ or US-6310858-$ or US-6192404-$). did.	USPAT	OR	ON	2006/08/15 13:48
S11 7	14	S116 and (ttl "time-to-live" (time adj2 live))	USPAT	OR	ON	2006/08/15 18:44
S12 0	40	rarp near3 server	USPAT	OR	ON	2006/08/15 16:04
S12 1	3	S120 and (ttl "time-to-live" (time adj2 live))	USPAT	OR	ON	2006/08/15 16:04
S12 2	102	BOOTP near3 server	USPAT	OR	ON	2006/08/15 16:04
S12 3	14	S122 and (ttl "time-to-live" (time adj2 live))	USPAT	OR	ON	2006/08/15 16:04
S12 4	60	((mac media) near3 (trace ping echo icmp arp rarp)) and (ttl "time-to-live" (time adj2 live))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 16:34
S12 5	30	((mac media) near3 (trace ping echo icmp r-arp rarp)) and (ttl "time-to-live" (time adj2 live))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 18:23
S12 6	5	((mac media) near3 address$4) and (trace ping echo icmp r-arp rarp) and (compar$4 near3 (mac media physical)) and (ttl "time-to-live" (time adj2 live)) and ((set$4 chang$4) near3 (ip internet logic) near3 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 18:27

EAST Search History

S12 7	35	("4644532" | "4922486" | "4933937" | "4962497" | "5095480" | "5136580" | "5241682" | "5274631" | "5280480" | "5287103" | "5319644" | "5371852" | "5394402" | "5430715" | "5530963" | "5594732" | "5617421" | "5715394" | "5793763" | "5802047" | "5812529" | "5835720" | "5835725" | "5854901" | "5918016" | "5968116" | "5991828" | "6009103" | "6023724" | "6026441" | "6046992" | "6055236" | "6091951" | "6119160" | "6370142").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/15 18:27
S12 8	0	S127 and (mac media physical) and (ttl "time-to-live" (time adj2 live)) and ((set$4 chang$4) near3 (ip internet logic) near3 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 18:27
S12 9	1	S127 and (mac media physical) and (ttl "time-to-live" (time adj2 live)) and ((set$4 chang$4) with (ip internet logic) with address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 18:30
S13 0	3	S127 and (ttl "time-to-live" (time adj2 live))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 18:30
S13 1	8	"Inverse Address Resolution Protocol"	USPAT	OR	ON	2006/08/15 19:03
S13 2	14	Inverse with Address with Resolution with Protocol	USPAT	OR	ON	2006/08/15 19:05
S13 3	1689	(set$4 chang$4) with (ip internet logic protocol) with address$4 with (packet frame datagram header)	USPAT	OR	ON	2006/08/15 19:06
S13 4	441	(set$4 chang$4) with (ip internet logic protocol) with address$4 with header	USPAT	OR	ON	2006/08/15 19:07
S13 5	234	(destination with (set$4 chang$4) with (ip internet logic protocol) with address$4 with header)	USPAT	OR	ON	2006/08/15 19:07
S13 6	113	((set$4 chang$4) with header with destination near2 (ip internet logic protocol) near2 address$4)	USPAT	OR	ON	2006/08/15 19:08
S13 7	11	((set$4 chang$4) with header with destination near2 (ip internet logic protocol) near2 address$4) and ((mac media physical) near3 address) and (ttl "time-to-live" (time adj2 live))	USPAT	OR	ON	2006/08/15 19:09

S13 8	26	((set$4 chang$4) with header with destination with (ip internet logic protocol) with address$4) and ((mac media physical) near3 address) and (ttl "time-to-live" (time adj2 live))	USPAT	OR	ON	2006/08/15 19:09